



## Data Sheet | Item Number: 221-2502

Suport de montare cu detensionare; 2 căi; pt conector în linie cu pârghie; pentru montare cu șurub; gri

<https://www.wago.com/221-2502>



Color: ■ gri

### Physical data

Width	20,8 mm / 0.819 inci
Depth	100 mm / 3.937 inci

### Material data

Note (material data)	<a href="#">Information on material specifications can be found here</a>
Color	gri
Fire load	0.127 MJ
Weight	4.2 g

### Commercial data

ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	25 (5) Buc.
Packaging type	Box
Country of origin	CN
GTIN	4066966119831
Customs tariff number	39269097900

### Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Downloads

## Environmental Product Compliance

## Compliance Search

Environmental Product  
Compliance 221-2502

## CAD/CAE-Data

## CAD data

2D/3D Models  
221-2502

## CAE data

EPLAN Data Portal  
221-2502ZUKEN Portal  
221-2502

## 1 Compatible Products

## 1.1 Optional Accessories

## 1.1.1 Installation

## 1.1.1.1 Mounting accessories

**Item No.: 209-123**

Picioar de montare cu șurub; se poate înșuruba pe reglete de conexiuni cu flanșă de fixare; Lățime de 6,4 mm; gri

**Item No.: 209-120**

Picioar de montare; poate fi clipsat pe reglete de conexiuni cu picioar de montare cu înclichetare; pentru montare pe module cu releu; Lățime de 6,4 mm; gri

**Item No.: 209-119**

Șurub de fixare; pentru suport de montare 209-120

## 1.1.2 Marking


## 1.1.2.1 Marking strip

**Item No.: 210-834**


Benză de marcaj; pe bobină; Lățime de 5 mm; simplu; Auto-adeziv; alb

## Installation Notes

## Installation



Place the inline splicing connector on the carrier in front of the mounting position.



Push the connector to the center position until it snaps into place.




Mounting carrier without strain relief – snapped onto DIN-rail



Various combinations of 1- to 5-connector mounting carriers are possible via side-by-side latching mechanism.

### Strain relief



3-pole mounting carrier with strain relief