

MP36-2

Motopompa pentru ape semimurdare




Motopompa pentru ape semimurdare echipata cu motor Honda alimentat cu benzina, ideala pentru mutarea unor cantitati mari de apa.

Caracteristici principale

Tip		Apa semi-murdara
Capacitate de aspiratie maxima	m	8
Capacitate maxima de livrare	m	30
Volum de livrare	l/min	600

Curba de performanta

Grafic



Date tehnice motor

Producător motor	Honda GX120	
Număr cilindri și dispunere	1 inclinat	
Cilindree	cm ³	118
Combustibil	Benzină	
Sistem de pornire	Pornire la sfoara	



Date tehnice pompă

Producător	KOSHIN	
Diametrul tevii de aspirare	'	2
Diametrul tevii de evacuare	'	2
Dimensiune solidă maximă	mm	-

Informatii dimensiuni

Lungime	(L) mm	470
Lățime	(W) mm	365
Înălțime	(H) mm	390
Greutate fără combustibil	Kg	26

Consum combustibil, Timp de funcționare, Nivel zgomot

Capacitate rezervor combustibil	l	2.0
Timp de funcționare	h	2.0
Nivel zgomot la 7 m	dba	78
Nivelul de zgomot garantat (LWA)	dba	103

Echipamente

Filtru	n°	1
Cuple	n°	2
Coliere	n°	3
Bujie		Standard
Protecție lipa ulei motor		Standard



Accesorii

Tubulatura admisie - lungime 8 m	2"
Tubulatura admisie - lungime 25 m	2"
Tubulatura evacuare - lungime 10 m	2"
Tubulatura evacuare- lungime 50 m	2"
Tubulatura evacuare- lungime 100 m	2"



The information is aligned with the Data file at the time of download. Printed on 26/05/2022 (ID 697)

©2022 | PR INDUSTRIAL s.r.l. | All rights reserved | Image shown may not reflect actual package.
Specifications subject to change without notice

